geratech®

HTG
Digital Torque Gauge

HTG
Digital Torque Gauge

geratech®

Model HTG digital torque gauge offers programmable high/low setpoints for go/no-go testing. ORANGE lights up for torque measurements less than Low setpoint, GREEN for between High and Low setpoint, and RED for over High setpoint.

Store up to 960 values in memory, which can be transmitted using serial output. Use the real time mode to display torque transients, or the peak mode to capture the peak torque achieved during a test. Selectable measuring units of lbf-in, kgf-cm, or N-cm.

HTG torque gauges are sold in kits which include the torque gauge, sensor, six foot cable, and AC adapter/charger. Built-in NiCad rechargeable batteries.

FEATURES

• Programmable high/low setpoints with color-coded LED indicators and output signal for quick go/no go testing
• 1,000 Data memory for computer download
• lbf-in, kgf-cm, and N-cm units are selectable
• RS-232C, Digimatic and Analog outputs
• AC adapter
• Ergonomic design with non-slip rubber grip, heavy duty metal construction
• Both clockwise and counterclockwise operation
• Overload capacity 200% of F.S.
• Real time and peak mode (selectable)
• Overload indicator and output signal

Model	Measurement Range	Resolution
HTG2-4	50 N-cm	0.01 N-cm
HTG2-15	200 N-cm	0.1 N-cm
HTG2-40	500 N-cm	0.1 N-cm
HTG2-85	1000 N-cm	1 N-cm

geratech®

EGERATE