

1U Rack Shelf Assembly Instructions










For products:
Aligo
IQS4

Engineering the **world's best** visual solutions



DATAPATH
EXCELLENCE BY DESIGN

Contents



TOOLS NEEDED TO ASSEMBLE RACK:

- 1 x Cross Head Screwdriver
- 1 x Pozi Head Screwdriver
- 1 x Flat Head screwdriver (Note: Only needed if using the volt free contact connector)



10

Connect any HDMI, USB, and network cables of the housed devices to the unit as required.

11

Plug the provided power connectors into the housed devices. Plug both mains supplies into the Rack Unit.

12

If using the volt free contact, connect your monitoring system into the 2-way screw terminal connector. Wire size: 0.5mm² to 2.5mm².



LED INDICATION & STATUS

- **Status**
LED illuminates red when the electronics are in an unhealthy state. Unhealthy states shown are either 12V PSU output dropping below 10.5V, or a problem in the electronics. When this LED illuminates, the green volt free contact is in an open state.
- **Power 1**
12V power healthy PSU 1. LED is illuminated green when healthy.
- **Power 2**
12V power healthy PSU 2. LED is illuminated green when healthy.

**Datapath UK and
Corporate Headquarters**
Bemrose House, Bemrose Park,
Waygoose Drive, Derby,
DE21 6XQ, United Kingdom

☎ +44 (0) 1332 294 441
✉ sales-uk@datapath.co.uk

www.datapath.co.uk

Datapath North America
2490 General Armistead Ave,
Suite 102, Norristown,
PA 19403,
USA

☎ +1 484 679 1553
✉ sales-us@datapath.co.uk

DATAPATH
EXCELLENCE BY DESIGN